



# eariet 45 XH

## Mid to Long Range

Along with the comfort and flexibility that a private charter offers, our Learjet 45 XRs have many benefits for individuals and small groups needing mid to long haul charters, with an approximate range of 1.600nm /4 hours non-stop flight and capacity to extend its range worldwide with few fuel stops.

#### Comfort

Designed as the "super-light" business jet, our high-end equipped Learjet 45 XR's ergonomically-designed passenger cabin, seats up to 8 passengers in double-club seating configuration.








#### Technical specifications **GENERAL CAPACITY** Crew: 2 + 1 Air Taxi Capacity: Up to 8 + 1 seats **PERFORMANCE** RANGE **OPERATING ALTITUDE** Maximum range: 1,971 NM 2,268 SM 3,650 km (NBAA IFR 100 NM reserves, ISA, with 4 pax/2 crew) Max. operating altitude: 51,000 ft (15,545 m) **SPEED MACH** Mach kt mph km/h Climb to cruise altitude of 43,000 ft (13,106 m) after 0.81 465 535 860 High-speed MTOW departure: Typical cruise speed 0.81 465 535 860 24 min, 36 sec Long-range speed 0.75 432 497 860 **NOISE LEVEL (EPNDB)** Flyover: 75.5 Approach: 93.4 Lateral: 85.1 **DIMENSIONS** INTERIOR Cabin length: 19.75 ft (6.02 m) (from cockpit divider to end of pressurized compartment), Cabin width: 5.12 ft (1.56 m) (centerline), Cabin width: 3.2 ft (0.98 m) (floorline), Cabin height: 4.92 ft (1.50 m), Floor area: 66 ft2 (6.13 m2) (excluding cockpit), Cabin volume: 410 ft3 (11.61 m3) (from cockpit divider to end of pressurized compartment) E. Typical basic operating weight: 14,125 lb (6,407 kg) F. Max. fuel weight: 6,062 lb (2,750 kg) Max. payload (D-E): 1,875 lb (850 kg) Payload with max. fuel (A-E-F): 1,563 lb (709 kg) Document No: RSA-COM-PRE-006 Document Revision No: 1 Fuel with max. payload (A-D): 5,750 lb (2,608 kg) Document Revision Date: 01.03.2024

# Standard interior configuration

Excellent cabin size in its class, 8 + 1 seat capacity in pax configuration.







### Operational Radius









Sabiha Gökçen Uluslararası Havalimanı A Kapısı Redstar Havacılık Hangar 34906 Pendik / İstanbul, Türkiye

Alarm Center

+90 (216) 709 1 772 | +90 (850) 433 1 772

Fax

+90 (216) 709 1 848

www.redstar.com.tr

sales@redstar.com.tr

Document No: RSA-COM-PRE-006 Document Revision No: 1 Document Revision Date: 01.03.2024